

Gulfstream Home and Garden
2030 Powers Ferry Road, Suite 370
Atlanta, GA 30339

Consumer Service/Customer Questions: 866-945-5033
Medical (Human or Animal): 800-420-9347
Transportation and Spills: 800-424-9300

1. PRODUCT IDENTIFICATION

Product Name: Maxide Dual Action Insect Killer Ready To Use

Item Numbers: 1060

EPA Signal Word: CAUTION

Active Ingredient (%): Lambda-Cyhalothrin (0.004%) CAS No.: 91465-08-6

Chemical Name: [1a(S*),3a(Z)]-cyano(3-phenoxyphenyl)methyl-3-(2-chloro-3,3,3-trifluoro-1-propenyl)-2,2-dimethylcyclopropanecarboxylate

Chemical Class: A pyrethroid insecticide

Active Ingredient (%): Thiamethoxam (0.01%) CAS No.: 153719-23-4

Chemical Name: 4H-1,3,5-Oxadiazin-4-imine,3-[(2-chloro-5-thiazolyl)methyl]tetrahydro-5-methyl-N-nitro

Chemical Class: Neonicotinoid Insecticide

EPA Registration Number(s): 100-1336-85579

2. COMPOSITION/INFORMATION ON INGREDIENTS

Material	OSHA PEL	ACGIH TLV	Other	NTP/IARC/OSHA Carcinogen
No inerts required to be listed				
Lambda-Cyhalothrin (0.004%)	Not established	Not established	0.04 mg/m ³ TWA (skin)***	No
Thiamethoxam (0.01%)	Not established	Not established	3 mg/m ³ TWA***	No

*** Manufacturers Occupational Exposure Limit (OEL)

Ingredients not precisely identified are proprietary or non-hazardous. Values are not product specifications.

3. HAZARDS IDENTIFICATION

Health and Environmental: Harmful if inhaled. May be harmful if swallowed. Causes mild eye irritation. May cause temporary itching, tingling, burning or numbness of exposed skin, called paresthesia.

Hazardous Decomposition Products: None known

Physical Properties

Appearance: Colorless liquid

Odor: Aromatic

Unusual Fire, Explosion and Reactivity Hazards: During a fire, irritating and possibly toxic gases may be generated by thermal decomposition or combustion.

4. FIRST AID MEASURES

Have the product container, label or Material Safety Data Sheet with you when calling a poison control center or doctor, or going for treatment.

Ingestion: If swallowed: Call 800-420-9347, a poison control center or doctor immediately for treatment advice. Have the person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so after calling 800-420-9347 or by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

Eye Contact: If in eyes: Hold eye and rinse slowly gently with water for 15-20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing eyes. Call 800-420-9347, a poison control center or doctor for treatment advice.

Skin Contact: In on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call 800-420-9347, a poison control center or doctor for treatment advice.

Inhalation: In inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call 800-420-9347, a poison control center or doctor for further treatment advice.

Notes to Physician: There is no specific antidote if this product is ingested. Treat symptomatically. Skin contact paresthesia effects (itching, tingling, burning and numbness) are transient, lasting up to 24 hours. Treat symptomatically.

Medical Condition Likely to be Aggravated by Exposure: None known.

5. FIRE FIGHTING MEASURES

Fire and Explosion

Flash Point (Test Method): > 214 degrees F (Pensky-Martens CC)

Flammable Limits (% in Air): Lower: Not applicable Upper: Not applicable

Autoignition Temperature: > 1202 degrees F

Flammability: Not applicable

Unusual Fire, Explosion and Reactivity Hazards: During a fire, irritating and possibly toxic gases may be generated by thermal decomposition or combustion.

In Case of Fire: Use dry chemical, foam or CO2 extinguishing media. Wear full protection clothing and self-contained breathing apparatus. Evacuate nonessential personnel from the area to prevent human exposure to fire, smoke, fumes or products of combustion. Prevent use of contaminated buildings, area, and equipment until decontaminated. Water runoff can cause environmental damage. If water is used to fight fire, dike and collect runoff.

6. ACCIDENTAL RELEASE MEASURES

In Case of Spill or Leak: Control the spill at its source. Contain the spill to prevent from spreading and contaminating soil or from entering sewage and drainage systems or any body of water. Clean up spills immediately, observing precautions outlined in Section 8. Cover entire spill with absorbing material and place into compatible disposal container. Scrub area with hard water detergent (e.g. commercial products such as Tide, Joy and Spic and Span). Pick up wash liquid with additional absorbent and place into compatible disposal container. Once all material is cleaned up and placed in a disposal container, seal container and arrange for disposition.

7. HANDLING AND STORAGE

Store the material in a well-ventilated, secure area out of reach of children and domestic animals. Do not store food, beverages or tobacco products in the storage area. Prevent eating, drinking, tobacco use and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION, PACKAGING AND USE OF THIS PRODUCT. FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS. CONSULT THE PRODUCT LABEL.

Ingestion: Prevent eating, drinking, tobacco usage and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.

Eye Contact: Where eye contact is likely, use chemical splash goggles.

Skin Contact: Where contact is likely, wear chemical-resistant gloves (such as barrier laminate, butyl rubber, nitrile rubber, neoprene rubber, natural rubber, polyvinyl chloride (PVC) or Viton), coveralls, socks and chemical-resistant footwear. Stringent housekeeping measures are necessary to prevent translocation of the material from contaminated work surfaces to uncontaminated surfaces (railings, doors, etc.). Unprotected contact with such translocated material can result in paresthesia effects (see Section 11 of MSDS). Do not touch unprotected skin areas (face) with contaminated gloves or clothing.

Inhalation: A respirator is not normally required when handling this substance. Use effective engineering controls to comply with occupational exposure limits.

In case of emergency spills, use a NIOSH approved respirator with any N, R, P or HE filter.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Colorless liquid

Odor: Aromatic

Melting Point: Not available

Boiling Point: Not applicable

Specific Gravity/Density: 1.00 g/cm³ @ 68 degrees F (20 degrees C)

pH: 5.2 (1% solution in deionized H₂O @ 77 degrees F [25 degrees C])

Solubility in H₂O

Lambda-Cyhalothrin: 0.004 mg/l

Thiamethoxam: 4.1 g/l @ 77 degrees F (25 degrees C)

Vapor Pressure

Lambda-Cyhalothrin: 1.5 x 10⁽⁻⁹⁾ mmHg @ 68 degrees F (20 degrees C)

Thiamethoxam: 2 x 10⁽⁻¹¹⁾ mmHg @ 68 degrees F (20 degrees C)

10. STABILITY AND REACTIVITY

Stability:	Stable under normal use and storage conditions
Hazardous Polymerization:	Will not occur
Conditions to Avoid:	None known
Materials to Avoid:	None known
Hazardous Decomposition Products:	None known

11. TOXICOLOGICAL INFORMATION

Acute Toxicity/Irritation Studies (Finished Product)

Ingestion:	Oral (LD50 Female Rat):	3129 mg/kg body weight (based on results from similar product)
Dermal:	Dermal (LD50 Rabbit):	>5000 mg/kg body weight (based on results from similar product)
Inhalation:	Inhalation (LC50 Rat):	> 2.55 mg/l air – 4 hours (based on results from similar product)
Eye Contact:	Minimally irritating (Rabbit)	
Skin Contact:	Non-irritating (Rabbit)	
Skin Sensitization:	Not a sensitizer (Guinea Pig) (based on results from similar product)	

Reproductive/Developmental Effects

Lambda-Cyhalothrin:	Not a developmental or reproductive toxicant.
Thiamethoxam:	Developmental: Not teratogenic in rats or rabbits.
Reproductive:	No effects on reproduction. Minor increase in a common testis effect in rats at high doses, which did not affect reproduction. When used in accordance with label directions and recommendations in this MSDS, no effects would be expected in humans.

Chronic/Subchronic Toxicity Studies

Lambda-Cyhalothrin:	Reversible paresthesia (abnormal skin sensation). Reversible clinical signs of neurotoxicity in mammals.
Thiamethoxam:	Subchronic: Liver effects occurred in rodents only at high dose levels. Not neurotoxic after acute and subchronic exposure in rats.

Carcinogenicity

Lambda-Cyhalothrin:	No treatment related tumors in rats and mice.
Thiamethoxam:	Classified as “not likely to be carcinogenic in humans” based on lifetime studies in mice and rats.

Other Toxicity Information

In humans, contact with exposed skin may result in temporary itching, tingling, burning or numbness, called paresthesia. The effect may result from splash, aerosol, or hot vapor contact, or transfer to the face from contaminated gloves and hands. The symptoms normally disappear within 24 hours. Face and genital areas are especially susceptible to this effect. Paresthesia involving the face is also known as “subjective facial sensation” or SFS.

Toxicity of Other Components

No inerts required to be listed	Not applicable
---------------------------------	----------------

Target Organs

Active Ingredients

Lambda-Cyhalothrin: Liver, nervous system
Thiamethoxam: Liver

Inert Ingredients

No inerts required to be listed

12. ECOLOGICAL INFORMATION

Summary of Effects

Lambda-Cyhalothrin: Very toxic to aquatic life.
Thiamethoxam: Harmful to aquatic life.

Ecotoxicity Effects

Lambda-Cyhalothrin: Fish (Rainbow trout) 96-hour LC50 0.19 ppb
Bird (Mallard Duck) LD50 Oral > 3950 mg/kg
Invertebrate (Water Flea) 48-hour ED50 0.04 ppb

Thiamethoxam: Fish (Rainbow trout) 96-hour LC50 > 100 ppm
Bird (Mallard Duck) LD50 Oral 576 mg/kg
Invertebrate (Daphnia Magna) 48-hour EC50 > 106 ppm
Green Algae 4-day EC50 > 97 ppm

Environmental Fate

Lambda-Cyhalothrin: The information presented here is for the active ingredient, lambda-cyhalothrin. Not persistent in soil or water. Immobile in soil. Sinks in water (after 24 h).

Thiamethoxam: The information presented here is for the active ingredient, thiamethoxam. Not persistent in soil. Stable in water. Moderate mobility in soil. Floats in water (after 24 h).

13. DISPOSAL CONSIDERATIONS

Disposal: Do not reuse product containers. Dispose of product containers, waste containers and residues according to local, state and federal health and environmental regulations.

Characteristic Waste: Not applicable

Listed Waste: Not applicable

14. TRANSPORT INFORMATION

DOT Classification: Ground Transport – NAFTA
Not regulated

Air Transport – NAFTA
Not regulated

B/L Freight Classification: Insecticides, N.O.I.

Comments:

Water Transport – International
Not regulated

Air Transport – International
 Not regulated

15. REGULATORY INFORMATION

EPCRA SARA Title III Classification

Section 311/312/ Hazard Classes: Acute Health Hazard
 Chronic Health Hazard

Section 313 Toxic Chemicals: Not applicable

California Proposition 65: Not Applicable

CERCLA/SARA 302 Reportable Quantity (RQ): None

RCRA Hazardous Waste Classification (40 CFR 261): Not applicable

TSCA Status: Exempt from TSCA, subject to FIFRA

16. OTHER INFORMATION

NFPA Hazard Ratings

Health: 2
 Flammability: 1
 Instability: 0

HMIS Hazards Ratings

Health: 2
 Flammability: 1
 Reactivity: 0

0	Minimal
1	Slight
2	Moderate
3	Serious
4	Extreme

For non-emergency questions about this product call: 866-945-5033

Revision Date: September 2009

The information and recommendations contained herein are based upon data believed to be correct.
 However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the
 information contained herein.

End of MSDS